

# WECORK

BEST IN NATURAL FLOORING

*Sustainable*



*Healthy*



*Acoustic*



*Insulating*



*Comfortable*



BARCELONA


17.44 sf per carton

Dimensions: 35 9/16" x 11 7/8" x 7/16"


Finished with Greenshield, for light commercial or residential use

# Avant Garde Collection

FLOATING FLOOR PLANKS



BARCELONA




CANYON




CASTLE TUSCANY



CLASSIC



MADRID



MONTE CARLO



OLIVE BARCELONA



RENAISSANCE



RENAISSANCE EARTH



SADDLE MONTE CARLO

## UNICLIC LOCKING SYSTEM


Our floating floors feature a glue-less Uniclic locking system, allowing for quick and easy installation.



SARDINIA



WHITE CANYON



ZURICH

**DARK SHADE**

Dimensions: 12" x 12" and 12" x 24"

Thicknesses: 3/16", 1/4", 5/16"

Special orders: 1/2" tiles and various plank formats;

minimum of 3,000 sf, 12-16 week lead time

Comes unfinished or with Greenshield, for full commercial or residential use

# Classic Collection


GLUE-DOWN TILES



LIGHT SHADE



MEDIUM SHADE



DARK SHADE

**NEW OPTIONS IN DIMENSIONS AND THICKNESSES**

Our tiles have been installed since the 70's in commercial and residential applications, and are available as unfinished or finished.



EARTH

20.34 sf per carton

Dimensions: 35 2/5" x 11 4/5" x 3/8"

Finished with Greenshield, for light commercial or residential use

# Eco-Nomical Collection

FLOATING FLOOR PLANKS




ASH



EARTH



IVORY



NATURAL



SABLE



WHITE



CANYON FR

Planks: 20.24 sf per carton  
 Dimensions: 48 5/8" x 12 1/64" x 7/16"

Planks FR: 18.08 sf per carton  
 Dimensions: 36" x 12" x 7/16"

Tiles: 18.08 sf per carton  
 Dimensions: 24 13/32" x 17 23/32" x 7/16"

Patented hot coating with AC5 / Class 33 wear rating, for full commercial or residential use.


*Serenity* Collection  
 FLOATING FLOOR PLANKS & TILES

COMMERCIAL GRADE

Serenity is fade, water, and scratch resistant. A digital technology is used to print high definition cork, wood or stone visuals on a high density cork substrate.




CANYON FR



MONTE CARLO FR



BLOND FRENCH OAK



FRENCH AUTUMN OAK




SUNRISE OAK



SUNSET ACACIA



HEARTH SLATE (TILE)



SANDSTORM (TILE)



SANDSTORM



SUNSET ACACIA





82.88 sf per roll  
Dimensions: 18' x 55" x 1/8"  
Comes unfinished and can be stained to any color,  
for full commercial or residential use

# Corkoleum Collection

GLUE-DOWN ROLLS



GRIT



LEMON



PEAR

## THE WATER-RESISTANT CORK FLOORING IN A ROLL!

Corkoleum features a top layer of decorative cork, underneath which is a thin layer of polyurethane (PU) backed by a composite of cork and recycled rubber. A uniquely versatile product, Corkoleum can be used for living rooms, bedrooms, bathrooms, kitchens, libraries, physiotherapy rooms and gyms. Other creative applications include boats, RVs, custom jets, buses, staircases, walls, dividers, counter tops and more!



# Floating Floor Specifications

SPECIFICATION	SERENITY	AVANT GARDE & ECO-NOMICAL
Dimensions (EN 427)	620 mm x 450 mm 915 mm x 305 mm 1235 mm x 305 mm	900 mm x 300 mm
Thickness (EN 428)	11 mm	10 mm - 11 mm
Weight (EN430)	ca. 8.9 kg/m <sup>2</sup>	8 kg/m <sup>2</sup>
Classification (EN 16511) - Domestic/Commercial	23 / 33	23 / 31
Dimensional Stability (EN 434)	< 0.05 %	0.10%
Residual Indentation (EN 433 / EN ISO 24343-1)	max. 0.15 mm	0.13 mm
Thermal Resistance (EN 12524 / EN 12667)	0.108 m <sup>2</sup> K/W	0.1 m <sup>2</sup> K/W
Impact Sound Reduction (EN ISO 717-2 / EN 140)	18 dB	17 dB - 19 dB
Impact Resistance (EN 438-2 / EN 13329)	2000 / 14 mm Class 33	4 N / Grade 3
Lightfast (ISO 105)	> 7	
Abrasion Resistance (EN 14354 & EN 13329)	AC5	



## 100% RAPIDLY RENEWABLE

The premium cork used in our products comes from the bark of cork oak trees grown in Portugal and the Mediterranean region. Trees remain unharmed when their bark is harvested, continuing to consume CO<sup>2</sup>. In fact, cork trees absorb up to five times as much CO<sup>2</sup> during the nine years it takes them to regenerate their bark!